

Original Research Article

A survey based comparative study about dental clinical photography amongst intern and postgraduate students

Osama Ahmed^{1,*}, Anam Pettiwala²

¹32 Pearls Dental Clinic and Implant Center, Pune, Maharashtra, India ²Metro Dental Clinic and Implant Center, Mumbai, Maharashtra, India



ARTICLE INFO

Article history: Received 20-03-2023 Accepted 06-04-2023 Available online 22-04-2023

Keywords: Dental photography Dentistry DSLR Diagnosis using photographs

ABSTRACT

Background: Dental photography is a vital component in the diagnosis and documentation of dental cases. This study aimed to evaluate the familiarity, approach, and practice of dental interns and postgraduate students with respect to dental clinical photography. A total of 250 participants completed a questionnaire, with 78.4% being interns and 21.6% postgraduates. The study found that only 7.3% of participants used a DSLR camera for dental clinical photography, with mobile cameras being the most extensively used device. The high cost of equipment was cited as the primary reason for this. The study also revealed that learning and education needs to be significantly improved in dental clinical photography to ensure better documentation and patient confidentiality.

Photography has been widely used in health sciences, including dentistry, to diagnose, document, and record cases. Dental photography is renowned for aiding in clinical diagnosis, similar to the use of x-rays, laboratory workup, or other examinations or tests. However, the use of dental clinical photography varies widely among dental interns and postgraduate students. This study aimed to evaluate their familiarity, approach, and practice in this field.

Materials and Methods: A total of 250 participants, including dental interns and postgraduate students, completed a questionnaire about their familiarity, approach, and practice with dental clinical photography. The survey data were collected and analyzed to evaluate the use of different devices, patient consent and confidentiality, and the overall approach of participants towards dental photography.

Results: The study found that only 7.3% of participants used a DSLR camera for dental clinical photography, with mobile cameras being the most extensively used device. The high cost of equipment was cited as the primary reason for this. The majority of participants found it essential to document cases for marketing purposes. In terms of maintaining patient consent and confidentiality, informed consent was obtained from the majority of patients before documenting pictures. Additionally, a few of the participants covered their patient's eyes to avoid breaching confidentiality.

Conclusion: The study revealed that learning and education needs to be significantly improved in dental clinical photography to ensure better documentation and patient confidentiality. Dental photography can be made an intriguing subject to record cases efficiently and provide exceptional opportunities for instruction, patient simulation, and recall visits by students. Dental interns and postgraduate students need to be educated on the benefits and correct approach to dental clinical photography.

This is an Open Access (OA) journal, and articles are distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

For reprints contact: reprint@ipinnovative.com

1. Introduction

* Corresponding author.

E-mail address: osama4december1999@gmail.com (O. Ahmed).

Photography has been utilized in dentistry for a considerable period of time, and is being used for various reasons in

https://doi.org/10.18231/j.ijpi.2023.005 2581-9836/© 2023 Innovative Publication, All rights reserved. dentistry. Photographs are used to supervise the progress of various treatments and also to track the transition after the procedure. In the same way as radiography, study casts, and other investigations and testing are regarded as diagnostic tools, dental photography is considered at par.¹ Photographs are predominantly used for recording various lesions pre and post treatments. Other places where photographs are utilized are in providing proof in MLC's;² supporting disease detection and in implementation of procedures.³ serving as a tool for dental education and guidance for staff and students.⁴ assisting in guiding the patient and inspiring them.⁵ Instruction to patients, laboratories, other physicians, and insurance providers.⁶ serving as a tool for tutor for case discussion.⁶ Photographs also help in distant consultation from specialists who live across the globe, specifically for cases such as pre-malignant one's.⁷ Codes of conduct are established to manage risks and safeguard patients against potential harm, spanning from hazardous medical treatments to privacy violations. As a result, these codes outline the duties and account abilities of healthcare providers with the aim of minimizing risks.⁸ As a result, dental professionals must identify these risks and be judicious in their actions. The aim of our study was to gauge the knowledge perception and practices of interns and post-graduate in dental photography.

Table 1: Demographic data

| Sr. No. | Questions | Responses | | % Percentage | Total N |
|------------|-----------|----------------------|------------------|--------------------|--------------|
| 1 | Gender | Male | 120 | 48 | (%) |
| 2 | Education | Female BDS MDS | 130 196 54 | 52 78.4 21.6 | 250 (100) |

2. Materials and Methods

An online survey was conducted among dental interns and postgraduate students to gauge their awareness, perspective and related practices regarding the use of dental photography in clinical situations. The duration of our study was for 2.5 months and selection of the participants was on the following basis: (A) Interns (B) Postgraduate students, all the participants were willing to take part in the study as a consent was taken prior to start of the study. The exclusion criteria was (A) people unwilling to participate in the study (B) Staff of any college. A convenient sampling technique was used.

The sample size was calculated using G*Power software version 3.1.9.2 (Heinrich Heine University, Dusseldorf)⁹ was 250 with the power of study being 80%, alpha error 0.05, effect size being 0.5 and the Degree of Freedom of 5. A digital, self-administered, closed ended questionnaire was developed using pre-validated questions. The questionnaire

consisted of twenty-seven questions further divided into four parts, 1) Demographic data 2.) Knowledge based questions 3.) Attitude based questions 4.) Practice based questions. The questionnaire was then distributed online on various online platforms such as Whatsapp, Instagram. The reliability statistics of the questionnaire calculated using Cronbach's alpha was 0.6. The participants were informed about the study and a consent was taken prior to the start of the study. All the collected data was then compiled in spreadsheets (Microsoft Excel 2016), and was statistically analyzed using descriptive statistics, where the P value was 0.5. The Statistical Package for the Social Sciences 23.0 version software (IBM, Chicago, Illinois, United States) was used for data analysis.

3. Results

A total of 250 participants from undergraduate and postgraduate programs took part in this study, out of which 48% were males and the remaining 52% were females. 78.4% of the participants had a BDS qualification and 21.6% had an MDS qualification.

In this study, 40% of the participants agreed that a doctor's recollection of memory was the best mode of reporting and documenting a case. Nonetheless, the use of a DSLR camera for the purpose of dental clinical photography was observed only in 7.3% of the aforementioned total population. The study also inferred mobile cameras as the most extensively used device (78.6%) in place of a DSLR for the same and was considered as the best method. Additionally, 78.6% of the study participants found it essential to document cases for marketing purposes, while only 10% believed in recording cases for outlining the treatment plan.

The high expense of equipment was specified as the primary reason for not demonstrating and storing information about the cases by 80% of the cohort. Moreover, a preponderance of the population was not well versed about the mirror required to take a quadrant/arch occlusal photograph used in dental photography. As a matter of fact, 52% of the cohort believed that no mirror was required in clinical photography. Likewise, 76% of the study population was unaware about the lens that is more often than not used in clinical photography. Conversely, the percentage of the study group that found it imperative to record cases was established at 51%.

With respect to maintenance of patient consent and confidentiality, informed consent was obtained from 73.2% of the study population before capturing their pictures in various forms. Additionally, 59.2% of the population covered their patient's eyes to avoid breach of confidentiality.

Table 2: Knowledge based questions

| Sr. No. | Questions | Responses | Ν | % | Total N (%) |
|---------|---|---|----------|------|-------------|
| | | Integrated Dental Photography certificate | 15 | 6 | |
| 1 | Which of the following course is a dental | course | | | 250(100) |
| 1 | photography? | Essentials of dental photography | 100 | 40 | 230(100) |
| | photography. | Basic of dental photography | 85 | 34 | |
| | | Dental photography in practice | 50 | 20 | |
| | Which of the following is | Written on case paper | 50 | 20 | |
| 2 | the best method to record | Dental photography | 50 | 20 | 250(100) |
| - | and document case in day | Doctors memory | 100 | 40 | 230(100) |
| | to day clinical practice? | Journal writing | 50 | 20 | |
| | | Using camera | 40 | 16 | |
| 3 | How do you document | Case paper | 120 | 48 | 250(100) |
| 5 | your cases? | Using Video system | 30 | 12 | 230(100) |
| | | Using patient given records. | 60 | 24 | |
| | | DSLR with ring flash | 24 | 9.7 | |
| 4 | Type of camera do you | DSLR | 18 | 7.3 | 250(100) |
| 4 | use? | Intraoral camera | 11 | 4.4 | 230(100) |
| | | Mobile camera | 195 | 78.6 | |
| | | Treatment planning | 25 | 10 | |
| - | Why do you think it is | Diagnosis | 17 | 6.8 | 250(100) |
| 5 | important to record cases? | Marketing | 195 | 78.6 | 250(100) |
| | | For discussion among friends. | 11 | 4.4 | |
| | | Lack of interest | 25 | 10 | |
| , | What has prevented you | Time consuming | 20 | 8 | 250(100) |
| 6 | from documenting cases? | Cost of the accessories | 200 | 80 | 250(100) |
| | e | Other | 5 | 2 | |
| | Do you know which | occlusal-buccal mirror | 40 | 16 | |
| _ | mirrors are used to take a | two way mirror | 20 | 8 | |
| 7 | quadrant/arch occlusal | Reflective mirror | 60 | 24 | 250(100) |
| | photograph? | no mirror needed | 130 | 52 | |
| | Which of the following | Patients objecting for taking clinical | 20 | 8 | |
| | reason is the most common | photographs | | 0 | |
| 8 | reason for hindrance in | Patients having myths about doctors | 80 | 32 | 250(100) |
| | dental photography and | Not having required equipment's | 100 | 40 | |
| | case recording | Patient not ready to give written consent | 50 | 20 | |
| | | Condenser | 52 | 4.8 | |
| | What instruments is used | Mouth mirror | 65 | 5.6 | |
| 9 | while taking frontal view | William's probe | 80 | 6.8 | 250(100) |
| | clinical photograph? | Cheek and lip retractors | 53 | 82.4 | |
| | | Macro lens [50-180mm] | 90 | 36 | |
| | What is the type of lens | Standard lens [35-85mm] | 30 | 12 | |
| 10 | used for clinical | Standard lens [85-100mm] | 60 | 24 | 250(100) |
| | photography? | Micro lens [25-50mm] | 70 | 28 | |
| | Which is the best way of | Cover the eyes of the patient | 76 76 | 30.4 | |
| | Which is the best way of maintaining the | Mask the unique features of the patient | 70 54 | 21.6 | |
| 11 | confidentiality of the | Photoshop the photograph | 63 | 21.0 | 250(100) |
| | patient? | Only keeping the teeth of the patient in | 03 57 | 23.2 | |
| | L | the picture. | 51 | 22.0 | |
| | | 1/1200 seconds | 43 | 17.2 | |
| | What is the best shutter | 1/1200 seconds | 43 97 | 38.8 | |
| 12 | speed for a DSLR camera | 11/220 seconds | 63 | 25.2 | 250(100) |
| | to click dental photos? | 23/56 seconds | 47 | | |
| | | 25/50 seconds | 4/ | 18.8 | |

| Table 30 | Attitude | hased | auestions | |
|----------|----------|-------|-----------|--|

| Sr. No. | Questions | Responses | Ν | % | Total N (%) |
|-----------------|--|-------------------|----|------|-------------|
| | | Strongly agree | 42 | 16.8 | |
| | | Agree | 87 | 34.8 | |
| 1 Do y cases | Do you think it is necessary to record your | Neutral | 52 | 20.8 | 250(100) |
| | cases? | Disagree | 42 | 16.8 | |
| | | Strongly disagree | 27 | 10.8 | |
| | | Strongly agree | 86 | 34.4 | |
| | How far do you agree use of clinical | Agree | 49 | 19.6 | |
| 2 | photography has helped you in clinical | Neutral | 49 | 19.6 | 250(100) |
| | scenario? | Disagree | 36 | 14.4 | |
| | | Strongly disagree | 30 | 12 | |
| | | Strongly agree | 20 | 8 | |
| | | Agree | 61 | 24.4 | |
| 3 | Do you agree documentation of the cases you | Neutral | 40 | 16 | 250(100) |
| | do helps in further research? | Disagree | 68 | 27.2 | |
| | | Strongly disagree | 61 | 24.4 | |
| | | Strongly agree | 39 | 15.6 | |
| Н | How much do you agree that DSLR (digital | Agree | 57 | 22.8 | |
| 4 | single-lens reflex camera) is a must in recording clinical cases? | Neutral | 59 | 23.6 | 250(100) |
| | | Disagree | 57 | 22.8 | |
| | | Strongly disagree | 38 | 15.2 | |
| | | Strongly agree | 17 | 6.8 | |
| | How far do you agree that cost of the | Agree | 91 | 36.5 | |
| 5 | accessories (DSLR) has prevented you from | Neutral | 9 | 3.6 | 250(100) |
| | documentation of your cases? | Disagree | 92 | 36.9 | |
| | | Strongly disagree | 40 | 16 | |
| | | Strongly agree | 53 | 21.2 | |
| | How far do you agree that lack of interest has | Agree | 24 | 9.6 | |
| | prevented you from documentation of your cases? | Neutral | 52 | 20.8 | 250(100) |
| | | Disagree | 72 | 28.8 | |
| | | Strongly disagree | 49 | 19.6 | |
| | | Strongly agree | 18 | 7.2 | |
| | How far do you agree that it is a time | Agree | 53 | 21.2 | |
| 7 | consuming process to document every case and has prevented you from documentation of your cases? | Neutral | 44 | 17.6 | 250(100) |
| | | Disagree | 69 | 27.6 | |
| | | Strongly disagree | 66 | 26.4 | |
| | | Strongly agree | 70 | 28 | |
| 0 | How much do you agree that 100 mm lens is | Agree | 85 | 34 | |
| 8 | the best lens for dental photography? | Neutral | 33 | 13.2 | 250(100) |
| | | Disagree | 31 | 12.4 | |
| | | Strongly disagree | 31 | 12.4 | |

4. Discussion

Our study had a near equal spread of participants between both the genders, and a vast difference in education levels, with excellent response rates from dental interns. While having a slight female predilection, the majority (78.4%) of participants were interns, while the minority (21.6%) were into a postgraduate course, which is in accordance with previously conducted studies by Alghulikah K et al.¹⁰ and Shaikh T et al.,¹¹ This might be a reflection of the having fewer postgraduates students than interns.

Importance of recording the cases for marketing purposes was marked seen in our study as 78.6% of the study population agreed to it, analogous to research done by

Harikrishnan R and Lakshmanan R,¹² while only smaller number of the participants believe in the importance of dental records for treatment purposes, which refutes another study where the authors believed treatment planning was a common reason for using pictures of the patients pre and post-operative.¹³

The study also found that 60% of participants disagree about the best method for recording and documenting cases being doctor's memory, in line with a study by Abouzeid HL et al.¹⁴ who observed that documenting cases in pictorial form was the most effective. In contrast, 78.6% of participants used mobile cameras to record cases, while only 7.3% used DSLR cameras, which conflicts with a study

| Sr. No. | Questions | Response | Ν | % | Total N (%) |
|------------|---|----------|-----|------|-------------|
| 1 Dog | | Yes | 88 | 35.2 | 250(100) |
| | Do you use photography in your clinical practice? | No | 162 | 64.8 | |
| 2 | | Yes | 120 | 48 | 250(100) |
| | Are you aware of a course called dental photography? | No | 130 | 52 | |
| 3 Hav | Have you offended only course in dentel shote menhy? | Yes | 85 | 34 | 250(100) |
| | Have you attended any course in dental photography? | No | 165 | 66 | 230(100) |
| 4 Do you | Do you think taking photos is improving the quality of | Yes | 177 | 70.8 | 250(100) |
| | your dental work? | No | 73 | 29.2 | |
| 5 Do you | Do you take verbal consent from the patients before | Yes | 155 | 63.6 | 250(100) |
| | taking their photograph? | No | 91 | 36.4 | 230(100) |
| 6 Do you t | De sur tele suitter consult form the action to | Yes | 183 | 73.2 | |
| | Do you take written consent from the patient prior to clicking their photography? | No | 67 | 26.8 | 250(100) |
| 7 | Do you maintain the confidentiality of the patient by | Yes | 148 | 59.2 | 250(100) |
| / | covering the eyes of the patient in the picture? | No | 102 | 40.8 | 250(100) |

 Table 4: Practice based questions.

by Sharland MR et al.¹⁵ who found that dental photography was common among general practitioners in Great Britain.

80% of the cohort stated that the cost of the accessories was the particular reason they were not documenting cases, since most participants could not afford the price of a DSLR camera. This runs counter to research by Khaled A.¹⁰ and Shaikh T et al.¹¹ but is in compliance with studies done by Rozan K. A. et al.¹⁵

Regarding patient consent and confidentiality, According to our study, the majority of the participants (73.2%) obtained permission from the patient before taking photographs, and 59.2% ensure patient confidentiality by covering their eyes. This finding suggests that dentists are becoming more conscious about protecting patient privacy, which is an improvement compared to a previous study conducted by Hoda LA et al.¹⁶ in 2020 and is consistent with the results of a similar study by Rozan K A et al.¹⁷ in 2021.

Ultimately, 76% of the participants were not aware of the standard lens used in clinical photography, possibly because they did not utilize mirror less or DSLR cameras to document cases.

5. Conclusion

The study concluded with the literacy mark of dental clinical photography not being up to the par and the demand to learn more and figure out the working of digital cameras needs to be put forth in front of the students. The students also need to fully comprehend the medico-legal aspects of clinical photography. This will amend the shortcomings faced during documentation and application of efficient patient care. Pursuing dental photography more as a personal preference rather than a job will ensure promising outcome rate and will give them improved prospects for teaching, patient stimulation and follow up visits.

6. Source of Funding

None.

7. Conflict of Interest

None.

References

- Mladenović D, Mladenović L, Mladenović S. Importance of digital dental photography in the practice of dentistry. *Sci J Fac Med Niš*. 2010;27(2):75–84.
- Murgod S, Karnam S, Gouse S, Girish HC. Forensic photography: Prospect through the lens. J Fac Med Niš. 2001;10(1):2–4.
- Çifter M. A qualitative analysis of dental photography in orthodontics: The patient's perspective. *BioMed Res Int.* 2018;5418592. doi:10.1155/2018/5418592.
- Wander P. Clinical Dental Photography in Orthodontic Practice. *Prim* Dent J. 2016;5(4):38–44.
- Kalpana D, Rao SJ, Joseph JK, Kurapati SK. Digital dental photography. *Indian J Dent Res.* 2018;29(4):507–19.
- Ahmad I. Digital dental photography. Part 2: purposes and uses. Br Dent J. 2009;206:459–64.
- Ahmad I. Digital dental photography. Part 1: an overview. Br Dent J. 2009;206(8):403–7.
- Stieber JC, Nelson T, Huebner CE. Considerations for use of dental photography and electronic media in dental education and clinical practice. *J Dent Educ*. 2015;79(4):432–40.
- Kang H. Sample size determination and power analysis using the G*Power software. J Educ Eval Health Prof. 2021;18:17. doi:10.3352/jeehp.2021.18.17.
- Alghulikah K. The use of dental photography in Saudi Arabia: A cross-sectional survey. J Dent Res Rev. 2022;9(4):304–9.
- 11. Shaikh T, Sayyed A, Shaikh A, Todkar M, Nagarale R. Knowledge, attitude and practice about clinical photography among dental undergraduate and post graduate students in a college in western maharashtra. *Int J Novel Res Dev.* 2023;8(2):161–71.
- Harikrishnan R, Lakshmanan R. Knowledge, attitude and practice survey on the use of dental photography by undergraduate and postgraduate dental students. Drug Invention Today. *Drug Invention Today*. 2019;11(10):2348–53.
- 13. Wander P, Ireland RS. Dental photography in record keeping and litigation. *Brit Dent J.* 2014;217(3):133–40.
- Abouzeid HL, Chaturvedi S, Alzahrani A, Alqahtani F, Alqarni S. Elsir Elmahdi A. A cross-sectional survey to evaluate

acquaintance about dental photography among dental students in daily clinical practice. *J Public Health Res.* 2020;9(3):1866. doi:10.4081/jphr.2020.1866.

- Sharland MR, Burke FJ, Walmsley AD, Mchugh S. Use of dental photography by general dental practitioners in Great Britain. *Dent* update. 2004;31(4):199–202.
- Abouzeid HL, Chaturvedi S, Alzahrani FA, Alqahtani NM, Alqarni AS, Alaajam WH. A cross-sectional survey to evaluate acquaintance about dental photography among dental students in daily clinical practice. J Pub Health Res. 2020;9(3):1866. doi:10.4081/jphr.2020.1866.
- Albugami RK, Binmahfod NN, Muhsin MA, Bamane RA, Almuqrin AD, Aldahri OA. Clinical photography knowledge and skills among dental students in Saudi Arabia: A cross-sectional survey. J Pharm

Bioall Sci. 2021;13(1):801-7.

Author biography

Osama Ahmed, Dental Practitioner

Anam Pettiwala, Dental Practitioner

Cite this article: Ahmed O, Pettiwala A. A survey based comparative study about dental clinical photography amongst intern and postgraduate students. *IP Int J Periodontol Implantol* 2023;8(1):22-27.